



carrarospray®

CARRAROSPRAY

Index

Q-WECTOR	4
ZEN	8
ZEN PLUS - ZEN MULTI	9
ZEN ECO	10
NESTOR	11
ATP	12
ATD	13
ATV	14
ATVM	15
RAINBOW	16
ATSS	17
ATD2 - ATD3	18
ATI	19
ATC	20
APUS	22
ARIEL	24
PROTEUS	25
ZEN 640P	26
APD	27
APTL	28
RAINBOW	30
APL	31
APL G - APL V	32
APOLLO	33
NTV	34
NPV-NTV PL	35
GA - GAV	36
NTF	37
NTA	38
NTA UNI-NTA R	39
NPA	40
GC	42
GDL	43
GDT CO	44
GDLH	45
GDTE	46
NPB	47
G120C	48
ALIOTH	49
GPC - GPE	50
ET50 - ES50	51
C - ET	52
CAR	53
G	54
ECO MIXER	55

Q WECTOR

TRAILED SPRAYERS



Q Wector 1

1100-1600-2100 litres
vertical anti-drift conveyor
rows up to 2.5 meters flat and slope



Q Wector 7

1100-1600-2100 litres
conveyor with vertical anti-drift
wired for up to 3 meters flat and slope



Q Wector 3

1100-1600-2100 litres

vertical anti-drift conveyor rows up to 3.5 meters
with trasversal slope which grows in high



Q Wector 4

1100-1600-2100 litres

vertical anti-drift conveyor rows up to 2.5 meters
with trasversal slope which grows in high



Q Wector 5

860-1100-1600 litres - fan $\varnothing$ 700
vertical anti-drift conveyor rows up to 3 meters
rows in slope with wheels in limited spaces



Q Wector 5 Plus

1100-1600-2100 litres - fan $\varnothing$ 800
vertical anti-drift conveyor rows up to 3 meters
rows in slope with wheels in limited spaces



Q Vector 8

860-1100-1600 litres - fan ø 700
vertical anti-drift conveyor
for espalier vineyard and fan training orchards
in slope and in flat

	Capacity	Dimensions	Power
	l	mm	Hp
Q VECTOR 1	1100	3290x1290x1800	60-65
Q VECTOR 1	1600	3630x1380x1800	65-70
Q VECTOR 1	2100	3770x1580x1850	70-75
Q VECTOR 7	1100	3280x1290x2040	60-65
Q VECTOR 7	1600	3620x1380x2040	65-70
Q VECTOR 7	2100	3820x1580x2100	70-75
Q VECTOR 3	1100	3440x1290x2180	60-65
Q VECTOR 3	1600	3680x1380x2190	65-70
Q VECTOR 3	2100	3820x1580x2240	70-75
Q VECTOR 4	1100	3340x1290x1950	60-65
Q VECTOR 4	1600	3690x1380x1940	65-70
Q VECTOR 4	2100	38400x1580x1990	70-75
Q VECTOR 5	860	2950x1120x1850	50-55
Q VECTOR 5	1100	3120x1290x1890	55-60
Q VECTOR 5	1600	3480x1380x1890	60-65
Q VECTOR 5 PLUS	1100	3220x1290x1900	60-65
Q VECTOR 5 PLUS	1600	3540x1380x1860	65-70
Q VECTOR 5 PLUS	2100	3710x1580x1940	70-75
Q VECTOR 8	860	3050x1120x1700	50-55
Q VECTOR 8	1100	3250x1290x1800	55-60
Q VECTOR 8	1600	3600x1380x1800	60-65

ZEN - ZEN 640T

TRAILED SPRAYERS



Zen

1100-1600-2100-3100 litres

vertical anti-drift conveyor variable geometry and rear suction in high position for big espallier vineyards and big orchards



Zen 640T 600-800-1000

600-800-1000 litres

vertical anti-drift conveyor rear suction in high position for espallier vineyards with rows 1,5-2,7 m

	Capacity	Dimensions	Power
	l	mm	Hp
ZEN 1100	1100	3720x1400x2230	55-65
ZEN 1600	1600	3720x1400x2230	65-75
ZEN 2100	2100	3720x1400x2305	70-75
ZEN 3100	3100	4400x1600x2500	90-100
ZEN 640T 600	600	2750x1120x1700	40-50
ZEN 640T 800	800	2855x1120x1700	40-50
ZEN 640T 1000	1000	3050x1250x1850	40-50

ZEN PLES - ZEN MULTI

TRAILED SPRAYERS



Zen Plus




Zen Multi

	Capacity	Dimensions	Power
	l	mm	Hp
ZEN PLUS 1600	1600	4350x1750x2800	80-90
ZEN PLUS 2100	2100	4450x1400x2900	90-100
ZEN MULTI 1100	1100	2290x3970x2900	70-80
ZEN MULTI 1500	1600	2290x3970x2900	80-90

ZEN ECO



Zen Eco



	Capacity	Dimensions	Power
	l	mm	Hp
ZEN ECO 1100	1100	2290x3970x2900	70-80
ZEN ECO 1250	1500	2290x3970x2900	80-90
ZEN ECO 1500	2000	2290x3970x2900	80-90

NESTOR

TRAILED SPRAYERS



Nestor



Nestor Pro

1100-1600-2100 litres

pesticide treatments in vineyards and orchards in slope and in flat,
rows 2-4,5 m, high of vegetation up to 5 m

	Capacity	Dimensions	Power
	l	mm	Hp
NESTOR 1100	1100	2520x1180x1280	50-60
NESTOR 1600	1600	2740x1300x1400	50-60
NESTOR 2100	2100	3020x1380x1420	60-70
NESTOR PRO 1100	1100	2500x1180x1280	60-65
NESTOR PRO 1600	1600	2720x1300x1400	65-70
NESTOR PRO 2100	2100	3000x1380x1420	70-75

ATP

TRAILED SPRAYERS



Ø 600-700 mm

ATP

800-1000-1500 litres
with 700 mm axial fan, for vineyards and orchards



Ø 800 mm
Ø 900 mm

ATP

1000-1500-2000 litres
with axial fan for orchards and vineyards

	Capacity	Fan	Dimensions	Power
	l	mm	mm	Hp
ATP 800	800	600-700	2390x1120x1280	26-28
ATP 1000	1100	700	2500x1180x1280	28-30
ATP 1500	1650	700	2720x1300x1400	28-30
ATP 1000	1070	800	2500x1180x1280	50-60
ATP 1500	1650	800	2720x1300x1400	60-70
ATP 2000	2100	800	3000x1380x1420	70-80

ATD

TRAILED SPRAYERS



ATD EX

600-800-1000 litres
with double axial counter rotating fan
for orchards and vineyards

	Capacity	Dimensions	Power
	l	mm	Hp
ATD EX 600	800	2290x1120x1230	50-60
ATD EX 800	800	2390x1120x1230	50-60
ATD EX 1000	1000	2500x1180x1280	55-65

ATV - ATV T

TRAILED SPRAYERS



Ø 500 mm

ATV



Ø 500 mm

ATV T

	Capacity	Dimensions	Power
	l	mm	Hp
ATV	300	2200x950x1300	25-30
ATV	400	2200x950x1400	25-30
ATV T	300	2200x950x1300	25-30
ATV T	400	2200x950x1400	25-30

ATVM - ATVM T

TRAILED SPRAYERS



Ø 500 mm

ATVM

120-200-300-400 litres
for vineyards



Ø 500 mm

ATVM T

120-200-300-400 litres
with independent engine and tower diffuser for espalier vineyards

	Capacity	Dimensions	Power
	l	mm	Hp
ATVM 120 R	120	1650x700x1000	9
ATVM 200 R	200	2000x750x1250	9
ATVM 300 R	300	2300x750x1200	9
ATVM 400 R	400	2300x750x1600	9
ATVM T 120 R	120	1650x700x1000	9
ATVM T 200 R	200	2000x750x1250	9
ATVM T 300 R	300	2300x750x1200	9
ATVM T 400 R	400	2300x750x1600	9

RAINBOW

TRAILED SPRAYERS



RAINBOW

300-400 litres
with centrifugal fan, ray system diffusor
with cannons and hydraulic nozzles
for vineyards in slope and limited area of work

	Capacity	Dimensions	Power
	l	mm	Hp
RAINBOW NTV 600	600	2160x1120x1220	40-50
RAINBOW NTV 800	800	2300x1120x1220	45-55
RAINBOW NTV 1000	1000	2410x1180x1260	50-60

ATSS

TRAILED SPRAYERS



ATSS

1150-1500-2000 litres
with axial fan for vineyards and orchards



stainless steel tank

	Capacity	Dimensions	Power
	l	mm	Hp
ATSS 1150	1150	3120x1450x1450	50-60
ATSS 1500	1500	3120x1600x1530	60-70
ATSS 2000	2000	3520x1600x1530	70-80

ATD2 - ATD3

TRAILED SPRAYERS

Ø 1.000 mm



ATD 2

Ø 1.000 mm



ATD 3

	Capacity	Dimensions	Power
	l	mm	Hp
ATD2 1000	1000	4520x1400x1380	90-100
ATD2 1500	1500	4720x1500x1450	100-120
ATD2 2000	2000	4920x1500x1530	100-120
ATD3 1000	1070	4520x1400x1380	100-120
ATD3 1500	1650	4720x1500x1450	100-120
ATD3 2000	2150	4920x1500x1530	100-120
ATD3 2000	3100	4920x1600x1700	100-120

ATI

TRAILED SPRAYERS



Ø 600 mm

Ø 700 mm

ATI

600-800 litres

with 600 or 700 mm axial fan, for vineyards and orchards



Ø 800 mm

Ø 900 mm

ATI

1500-2000 litres

with 800 or 900 mm axial fan, for vineyards and orchards

	Capacity	Dimensions	Power
	l	mm	Hp
ATI 600	645	2550x1120x1150	35
ATI 800	860	2690x1120x1230	35
ATI 1500	1500	3390x1300x1400	70
ATI 2000	2000	3670x1460x1550	80

ATC

CANNONS TRAILED SPRAYERS

for lateral localized treatments
and for the application of pesticides to the trees



**ATC SS-SD
CANNONS GROUP
450 MM**

with gearbox two
speeds and neutral

**ATC FS-FD
CANNONS GROUP
450 MM**

with piston to the inclination
of the cannon





ATC F2D
2 CANNONS GROUP
450 MM
 with double-suction turbine



ATC FDA
CANNONS GROUP
500 MM
 with piston to the inclination of the cannon

	Capacity	Dimensions	Power
	l	mm	Hp
ATC 600P	645	2250x1120x1150	50-60
ATC 800P	860	2390x1120x1230	50-60
ATC 1000P	1070	2500x1180x1280	55-65
ATC 1500P	1650	2720x1300x1400	65-75
ATC 2000P	2150	3000x1380x1420	75-85

APUS

MOUNTED SPRAYER



APUS 1

400-500-600 litres
conveyor with frontal suction
for implantation in flat and slope



APUS 4

400-500-600 litres
convoyeur suitable
for rows which grows in high and for trasversal slope



Ø 700 mm

APUS 5

300-400-500-600 litres
convoyeur with rear suction short and compact to work in slope
with limited area of work



Ø900 mm

APUS 6

500-600 litres
conic conveyor with rear suction, short and compact to operate
in a slope with limited maneuvering space

	Capacity	Dimensions	Power
	l	mm	Hp
APUS 1-4 400	400	1340x960x1480	30-40
APUS 1-4 500	500	1520x1230x1480	40-50
APUS 1-4 600	600	1520x1230x1480	40-50
APUS 5 300	300	1200x955x1620	30-40
APUS 5 400	400	1200x955x1620	30-40
APUS 5 500	500	1370x1230x1620	40-50
APUS 5 600	600	1370x1230x1620	40-50
APUS 6 500	500	1460x1230x1630	40-50
APUS 6 600	600	1460x1230x1630	40-50

ARIEL

MOUNTED SPRAYER



ARIEL

200 - 300 litres - fan 600 mm
vertical anti-drift conveyor
for espalier vineyards in slope with limited area of work

	Capacity	Dimensions	Power
	l	mm	Hp
ARIEL 200	200	1000x890x1230	20-25
ARIEL 300	300	1000x890x1230	25-30

PROTEUS

MOUNTED SPRAYER
WITH OCTAGONAL DIFFUSOR



PROTEUS

500-600 litres

pesticide treatments in pergola vineyards,
with a front suction octagonal radially diffuser
for orchards and slightly sloping

	Capacity	Dimensions	Power
	l	mm	Hp
PROTEUS 500	500	1480x1210x1300	50-60
PROTEUS 600	600	1480x1210x1400	50-60

ZEN 640P

MOUNTED SPRAYER



ZEN 640P

300-400 litres

vertical anti-drift conveyor rear suction in high position
for espallier vineyards with rows 1,5-2,7 m



	Capacity	Dimensions	Power
	l	mm	Hp
ZEN 640P 300	300	1090x940x1460	40-50
ZEN 640P 400	400	1090x940x1460	40-50

APD

MOUNTED SPRAYER



Ø 700 mm

APD

400-500-600-800-1000 litres
for application of protection
for the protection of plants and crops
using the principle of reverse fan



	Capacity	Fan	Dimensions	Power
	l	mm	mm	Hp
APD 400	400	700	1470x1220x1000	50
APD 500	500	700	1470x1220x1060	55
APD 600	600	700	1470x1220x1080	60
APD 800	800	700	1510x1500x1170	65
APD 1000	1000	700	1510x1500x1240	70

APTL

MOUNTED SPRAYER WITH CANNON

for lateral localized treatments
and for the application of pesticides to the trees



**APTL SS-SD
CANNONS GROUP
450 MM**

with gearbox two
speeds and neutral



**APTL F2D
2 CANNONS GROUP
450 MM**

with double-suction
turbine

**APTL FDA
CANNONS GROUP
450 MM**

with piston to the inclination
of the cannon



**APTL F2V
CANNONS GROUP
450 MM**

with piston
to the inclination
of the cannon

**APTL FS-FD
CANNONS GROUP
450 MM**

with piston to the inclination
of the cannon



	Capacity	Dimensions	Power
	l	mm	Hp
APTL 300	300	1000x800x1080	30-40
APTL 400	400	1200x920x1170	40-50
APTL 500	500	1200x920x1240	50-60
APTL 600	600	1200x920x1350	60-70
APTL 800	800	1500x970x1400	80-90
APTL 1000	1000	1500x970x1570	90-100

RAINBOW

MOUNTED SPRAYER



RAINBOW

300-400 litres

with centrifugal fan, ray system diffuser
with cannons and hydraulic nozzles
for vineyards in slope and limited area of work

	Capacity	Dimensions	Power
	l	mm	Hp
RAINBOW 300	300	960x1000x1120	20-25
RAINBOW 400	400	960x1000x1320	25-30

APL

MOUNTED SPRAYER



Ø 600 mm
Ø 700 mm
Ø 800 mm

APL

200-300-400-500-600-800-1000 litres
with axial conveyor for vineyards and orchards



	Capacity	Fan	Dimensions	Power
	l	mm	mm	Hp
APL 200	200	600	1100x1100x980	22
APL 300	300	600	1200x1000x1100	28
APL 400	400	700	1200x1350x1150	35
APL 500	500	700	1200x1350x1230	40
APL 600	600	700	1200x1350x1340	45
APL 800	800	700	1500x1360x1400	50
APL 1000	1000	700	1500x1360x1570	55

APL G - APL V

MOUNTED SPRAYER



Ø 600 mm

Ø 700 mm

APL G

200-300-400-600 litres

with axial conveyor for vineyards and orchards in pergola vineyards



Ø 700 mm

APL V

	Capacity	Fan	Dimensions	Power
	l	mm	mm	Hp
APL G 200	207	600	1000X1100X1000	20
APL G 300	360	600	1100x1100x1100	22
APL G 400	449	700-800	1350X1130X1100	24
APL G 600	620	700-800	1350x1130x1370	45
APL V 400	467	700-800	1200x1350x1700	35
APL V 500	527	700-800	1200x1350x1800	40
APL V 600	638	700-800	1200x1350x1400	45

APOLLO

MOUNTED SPRAYER



APOLLO

	Capacity	Fan	Dimensions	Power
	l	mm	mm	Hp
APOLLO 400	400	449	1700x1150x1160	40-50
APOLLO 600	600	620	1700x1150x1455	50-60

NTV

MIST BLOWER SPRAYER



NTV 4



NTV 2

	Capacity	Dimensions	Power
	l	mm	Hp
NTV 4 300	300	2400x1500x900	35
NTV 4 400	400	2400x1500x1000	35
NTV 2 300	300	2400x1500x900	35
NTV 2 400	400	2400x1500x1000	35
NTV 2 600	600	2400x1200x1100	35

NPV - NTV PL

MIST BLOWER SPRAYER



NPV

220-330-440-550 litres
mounted sprayer with centrifugal fan,
diffuser radially with guns for canopy vineyards



NTV PL

420-630 litres
trailed sprayer with centrifugal fan diffuser
with cannons for vineyards

	Capacity	Dimensions	Power
	l	mm	Hp
NPV 200	220	1020x980x1000	40-50
NPV 300	330	1190x1000x1120	40-50
NPV 400	440	1190x1000x1320	50-60
NPV 500	550	1190x1000x1520	60-70
NTV PL 400	420	2400x1180x1150	20-25
NTV PL 600	630	2650x1270x1190	20-25

GA - GAV

MOUNTED SPRAYER



Ø 500 mm

GA

120-200 litres

mounted sprayer for mini tractors for vineyards



Ø 500 mm

GAV

120-200 litres

mounted sprayer for vineyards

	Capacity	Dimensions	Power
	l	mm	Hp
GA 120	120	800x1000x1200	18
GA 200	200	850x1200x1300	18
GAV 120	120	800x1000x1200	18
GAV 200	200	850x1200x1300	18

NTF

MIST BLOWER SPRAYER



NTF

1070-1650-2150 litres
with fan shaped diffusers with cannons
for vineyards and orchards



	Capacity	Dimensions	Power
	l	mm	Hp
NTF 1000	1070	2480x1180x1250	55-65
NTF 1500	1650	2720x1300x1300	65-75
NTF 2000	2150	3000x1380x1380	75-85

NTA

MIST BLOWER SPRAYER



NTA F2

600-800-1100-1500 litres
mist blower sprayer with face-face head for espalier vineyards



NTA F3

600-800-1100-1500 litres
mist blower sprayer with face-face head for espalier vineyards

	Capacity	Dimensions	Power
	l	mm	Hp
NTA F2 600	600	2190x1120x1150	65-75
NTA F2 800	800	2370x1120x1230	65-75
NTA F2 1100	1100	2480x1180x1280	65-75
NTA F2 1500	1500	2720x1300x1400	75-85
NTA F3 600	600	2190x1120x1150	65-75
NTA F3 800	800	2370x1120x1230	65-75
NTA F3 1100	1100	2480x1180x1280	65-75
NTA F3 1500	1500	2720x1300x1420	75-85

NTA UNI - NTA R

MIST BLOWER SPRAYER



NTA UNI

600-800-1100-1500-2000 litres
trailed mist blower sprayer uniflow for espalier vineyards



NTA R

600-800-1000 litres
trailed mist blower sprayer revolution for espalier vineyards

	Capacity	Dimensions	Power
	l	mm	Hp
NTA UNI 600	600	2190x1120x1150	40-50
NTA UNI 800	800	2370x1120x1230	45-55
NTA UNI 1100	1100	2480x1180x1280	55-65
NTA UNI 1500	1500	2720x1300x1400	65-75
NTA UNI 2000	2000	3000X1380X1420	75-85
NTA R 600	600	2190X1120X1150	30-40
NTA R 800	800	2370X1120X1230	40-50
NTA R 1000	1000	2480x1180x1280	50-60

NPA

MIST BLOWER SPRAYER

mounted mist blower sprayer for espalier vineyards



NPA

200-400-500-600 litres



NPA UNI-S

200-300-400 litres



NPA UNI

500-600 litres

	Capacity	Dimensions	Power
	l	mm	Hp
NPA 200	200	1550x1220x1800	40-45
NPA 400	400	1550x1220x1800	40-45
NPA 500	500	1550x1220x1800	40-45
NPA 600	600	1550x1220x1800	40-45
NPA S 200	200	1430x1000x1800	30-35
NPA S 300	300	1430x1000x1800	30-35
NPA S 400	400	1430x1000x1800	40-45
NPA UNI 500	500	1550x1220x1800	40-45
NPA UNI 600	600	1550x1220x1800	40-45

GC - GC BD

MOUNTED SPRAYER



GC BD

200-400-600-800-1000 litres
mounted sprayer for treatments in open field



GC

200-400-600 litres
mounted sprayer

	Capacity	Dimensions GC	Boom dimensions	Power
	l	m	mm	Hp
GC 200	200	1000x590x1160	1000x60x110	15-20
GC 400	400	1100x900x1170	1100x100x127	20-25
GC 600	600	1100x900x1390	1100x100x140	30-40
GC 200 BD	200	1000x590x1160	2000x200x500	18-20
GC 400 BD	400	1100x900x1170	2000x200x500	30-35
GC 600 BD	600	1100x900x1390	2000x200x500	40-45
GC 800 BD	800	1500x970x1400	2000x200x500	45-50
GC 1000 BD	1000	1500x970x1570	2000x250x600	50-55

GDL BDIH - GDL BDIN

MOUNTED SPRAYER

mounted sprayer for treatments in open field



GDLH BDIH

600-800-1000-1200 litres

mounted sprayer with hydraulic boom 14-15 m



GDL BDIN

600-800-1000-1200 litres

mounted sprayer with hydraulic boom 6-12 m

	Capacity	Dimensions	Power
	l	mm	Hp
GDLH BDIH 600	600	2480x2720x2700	50-60
GDLH BDIH 800	800	2480x2720x2700	60-70
GDLH BDIH 1000	1000	2480x2720x2700	70-80
GDLH BDIH 1200	1200	2480x2720x2700	80-90
GDL BDIN 600	600	2300x2000x2500	40-50
GDL BDIN 800	800	2300x2000x2500	50-60
GDL BDIN 1000	1000	2300x2000x2500	60-70
GDL BDIN 1200	1200	2300x2000x2500	70-80

GDL - GDL BD

MOUNTED SPRAYER



GDL

200-300-400-500-600-800-1000-1200 litres
TOP LINE mounted sprayer



GDL BD

	Capacity	Dimensions	Power
	l	m	Hp
GDL 200	200	990x630x1060	18-20
GDL 300	300	1020x800x1080	20-25
GDL 400	400	1220x920x1170	30-35
GDL 500	500	1220x920x1240	35-40
GDL 600	600	1220x920x1350	40-45
GDL 800	800	1500x970x1400	45-50
GDL 1000	1000	1500x970x1570	50-55
GDL 1200	1200	1500x970x1650	60-70

GDT CO

MOUNTED SPRAYER



GDT CO

1000-1500-2000 litres

pull type sprayer for coffee, tea and rubber trees



	Capacity	Dimensions	Power
	l	mm	Hp
GDT CO 1000	1000	1600x2900x1500	30-40
GDT CO 1500	1500	1600x2900x1750	30-40
GDT CO 2000	2000	1600x2900x2000	30-40

GDLH BDV - GDLH DOSATRON

MOUNTED SPRAYER WITH BOOM

mounted sprayer for treatments in open field



GDLH BDV

600-800-1000-1200 litres

mounted sprayer with hydraulic boom 18-21 m



GDLH DOSATRON

600-800-1000-1200 litres

weeding group multiple distribution

with downstream metering of the water tank for horticultural

	Capacity	Dimensions	Power
	l	mm	Hp
GDLH 600	600	1220x920x1350	30-40
GDLH 800	800	1500x970x1400	40-50
GDLH 1000	1000	1500x970x1570	40-50
GDLH 1200	1200	1600x970x1650	45-55

GDTE BDV - GDTE BDI H

TRAILED SPRAYER



GDTE - BDV

2000-2500-3000 litres
trailed sprayer for treatments in open field



GDTE BDIH

1000-1500 litres
trailed sprayer for treatments in open field

	Capacity	Dimensions	Power
	l	mm	Hp
GDTE 2000	2000	1600x2900x2000	40-50
GDTE 2500	2500	1650x3200x2050	50-60
GDTE 3000	3000	1710x3490x2200	70-80
GDTE BDIH 1000	1000	3500x2500x2800	40-50
GDTE BDIH 1500	1500	3800x2500x3200	50-60

NPB

MOUNTED SPRAYER

mounted sprayer for treatments in open field



NPB AIR

800-1000-1200 litres
mounted sprayer



NPB STRAWBERRY

800-1000-1200 litres
mounted sprayer

	Capacity	Dimensions	Power
	l	mm	Hp
NPB AIR 800	800	2500x1800x2300	70-80
NPB AIR 1000	1000	2500x1800x2300	70-80
NPB AIR 1200	1200	2500x1800x2300	80-90
NPB STRAWBERRY 800	800	2500x1900x2200	70-80
NPB STRAWBERRY 1000	1000	2500x1900x2200	70-80
NPB STRAWBERRY 1200	1200	2500x1900x2200	80-90

G 120C

MOUNTED SPRAYER



G 120C

120 litres

mounted sprayer suitable for little tractor
for treatment with spray gun

	Capacity	Dimensions	Power
	l	mm	Hp
G 120C	120	1050x740x850	15-20

ALIOTH

MOUNTED SPRAYER



ALIOTH
170 litres
mounted sprayer suitable for tractor



ALIOTH PLUS
170 litres
mounted sprayer suitable for tractor with tower

	Capacity	Dimensions	Fan	Engine Honda 4HP-G
	l	mm	mm	Hp
ALIOTH 170	170	1200x800x630	500	10
ALIOTH 170 PLUS	170	1200x800x1200	500	10

GPC - GPE

MOUNTED SPRAYER FOR PICK-UP

mounted sprayer for treatment with spray gun



GPC

300-400 litres - Diesel
Mounted sprayer with cannon



GPE

400-600-800-1000-2000 litres
Mounted sprayer

	Capacity	Dimensions	Power
	l	mm	Hp
GPC 300	300	1050x1300x1300	17-35
GPC 400	400	1250x1300x1300	17-35
GPE 400	400	1000x1880x1160	10-14
GPE 600	600	1100x1880x1250	10-14
GPE 800	800	850x2100x1515	10-14
GPE 1000	1000	1240x2300x1280	10-14
GPE 2000	2000	1500x2300x1550	10-14

ET50 - ES50

MOUNTED SPRAYER



ET 50

200 litres
trailed sprayer with engine



ES 50

200 litres
sprayer with engine for pick up

	Capacity	Dimensions	Power
	l	mm	Hp
ET 50	200	1200x800x800	10-20
ES 50	200	1200x800x1000	10-20

C - ET

TRAINED SPRAYER

trained sprayer for agricultural crops and localized treatment
with handgun of small and medium-sized extensions



C

400-600-800-1000-1500 litres
sprayer in fiberglass tank



ET

400-600-800-1000 litres
trailed sprayer with pto shaft

	Capacity	Dimensions	Power
	l	mm	Hp
C 400	400	1450x960x1280	15-20
C 600	600	1720x1020x1280	20-25
C 800	800	2135x1025x1450	25-30
C 1000	1000	2200x1150x1450	25-30
C 1500	1500	2350x1450x1450	30-40
ET 400	400	1350x1000x1365	15-20
ET 600	600	1620x1150x1245	20-25
ET 800	800	1870x1250x1155	25-30
ET 1000	1000	1870x1250x1300	25-30

CAR

SPRAYER

sprayer with engine for treatment with spraygun



CAR 95



CAR 135



CAR 120



CAR 200

	Capacity	Dimensions	Power
	l	mm	Hp
CAR 95	95	1000x650x950	5
CAR 135	135	1000x760x950	5
CAR 120	120	1050x760x1000	3,5-5
CAR 200	200	1500x1000x1000	3,5-5

G300 - G400 - G406

DUSTER



G300

300 litres
duster - 50 kg



G400 - G406

400 litres
duster - 100 kg

	Capacity	Dimensions	Power
	l	mm	Hp
G 300	50	500x1050x1050	5-6
G 400	100	800x1100x1150	8-9
G 406	150	800x1100x1300	10-12

ECO MIXER


MIXTURE STATION



ECO MIXER

200-500-1000 litres

mix to arrange and maintain the mixture



Capacity

Dimensions

l

mm

ECO MIXER 200

200

800x980x900

ECO MIXER 500

530

1770x1150x1080

ECO MIXER 1000

1060

2070x1350x1280

NOTE

This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings present.

NOTE

[illegible]

NOTE

This image shows a full page of blank white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, providing a template for writing or drawing. There are no margins, text, or other markings present.



carrarospray®

CARRAROSPRAY

O.C.L.L. srl

Via Cornara, 40 - 35010 Villanova (PD) - Italy
Tel. +39 049 9220072 r.a. - Fax +39 049 9220951
www.carrarospray.it - ocll@carrarospray.it

